



CIM Cable Integrated Mounting System

Mounting Reference Guide Accessories



CONTENT

General Notes	3
Consoles with Drawer	4
Trays	6
Support Systems for Infusion Pumps	7
Baskets	10
Table Column / Floor Column	11
Cable Hooks and Cable Management	12
IT Accessories	13
Wall Channels and European Rails	14

GENERAL NOTES

Standard Colours

All decorative plastic parts are available in two different colours:

RAL 5013 (=cobalt blue) or RAL 7024 (= graphite grey). Please specify the colour requested when ordering.

Custom-Designed Solutions

Please contact us for custom-designed solutions.

Product Marking




All CIM products are CE marked and adhere to the latest regulations MDD 93/ 42 ECC.



CONSOLE WITH DRAWER

Product Features

Dimensions:	W 440 x D 412 x H 120 mm
Drawer dimensions:	W 375 x D 335 x H 85 mm
Material:	aluminium, HPL (high-pressed laminate), ABS
Surface:	anodized, HPL and ABS (= scratch-proof, resistant against impact and disinfectants)
Standard colours:	ice blue (= NSC 1005-R90B) or white (= NSC 0502-G50Y)
Maximum weight:	35 kg (4-fold safety)



Part no. 75-001-4.C	adaptation to vertical wall channel
Part no. 75-001-2F.C	adaptation to horizontal rail 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm
Part no. 75-001-1V.C	pole adapter 20 - 40 mm

Colour code (C):	fb	=	ice blue
	w	=	white



DOUBLE CONSOLE WITH DRAWER

Product Features

Dimensions:	W 440 x D 412 x H 120 mm
Drawer dimensions:	W 375 x D 335 x H 85 mm
Material:	aluminium, HPL (high-pressed laminate), ABS
Surface:	anodized, HPL and ABS (= scratch-proof, resistant against impact and disinfectants)
Standard colours:	ice blue (= NSC 1005-R90B) or white (= NSC 0502-G50Y)
Maximum weight:	50 kg (4-fold safety)




Illustration with horizontal rail adapter

Part no. 75-011-4.C	adaptation to vertical wall channel
Part no. 75-011-2F.C	adaptation to horizontal rail 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm
Part no. 75-011-1V.C	pole adapter 20 - 40 mm



Colour code (C):	fb	=	ice blue
	w	=	white



TRAY

Product Features

Dimensions:	W 406 x D 357 mm
Material:	aluminium, HPL (high-pressed laminate), ABS
Surface:	anodized, HPL and ABS (= scratch-proof, resistant against impact and disinfectants)
Standard colours:	ice blue (= NSC 1005-R90B) or white (= NSC 0502-G50Y)
Maximum weight:	25 kg (4-fold safety)



Part no. 75-002-4.C	adaptation to vertical wall channel
Part no. 75-002-2F.C	adaptation to horizontal rail 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm
Part no. 75-002-1V.C	pole adapter 20 - 40 mm

Colour code (C):	fb	=	ice blue
	w	=	white



IV SUPPORT SYSTEMS – Support Arm Pivot with 25 mm Pole Adapter

Product Features

Arm length:	240 mm, 300 mm or 400 mm
Material:	aluminium
Surface:	anodised, powder-coated RAL 9016
Maximum weight:	20 kg (6-fold safety factor)



Part no. 65-224RR-4 (L = 240 mm) / 65-230RR-4 (L = 300 mm) / 65-240RR-4 (L = 400 mm)

Part no. 65-224RR-2F (L = 240 mm) / 65-230RR-2F (L = 300 mm) / 65-240RR-2F (L = 400 mm)

Part no. 65-224RR-1V (L = 240 mm) / 65-230RR-1V (L = 300 mm) / 65-240RR-1V (L = 400 mm)

adaptation to vertical wall channel

adaptation to horizontal rail

pole adapter 20 - 40 mm



IV SUPPORT SYSTEMS – Articulating Arm with 25 mm Pole Adapter

Product Features

Arm length:	240 x 240 mm or 300 x 300 mm
Material:	aluminium
Surface:	anodised, powder-coated RAL 9016
Maximum weight:	300 x 300 mm: 12.5 kg; 240 x 240 mm: 15 kg (6-fold safety factor)



Part no. 65-32424RR-4 (L = 240 mm) / 65-33030RR-4 (L = 300 mm)
 Part no. 65-32424RR-2F (L = 240 mm) / 65-33030RR-2F (L = 300 mm)
 Part no. 65-32424RR-1V (L = 240 mm) / 65-33030RR-1V (L = 300 mm)


adaptation to vertical wall channel
 adaptation to horizontal rail
 pole adapter 20 - 40 mm



IV SUPPORT SYSTEMS – Infusion poles with hooks



Part no. 65-IF4-100 L = 1000 mm
Part no. 65-IF4-150 L = 1500 mm



Part no. 65-IF6-100 L = 1000 mm
Part no. 65-IF6-150 L = 1500 mm



BASKETS

Product Features

Dimensions:	W 300 x D 200 x H 180 mm W 200 x D 150 x H 100 mm
Material:	aluminium
Surface:	powder-coated RAL 9016




Illustration with adaptation to vertical wall channel

Part no. 65-51-4 (300 x 200 x 180 mm) / 65-52-4 (200 x 150 x 100 mm)
 Part no. 65-51-2F (300 x 200 x 180 mm) / 65-52-2F (200 x 150 x 100 mm)
 Part no. 65-51-1V (300 x 200 x 180 mm) / 65-52-1V (200 x 150 x 100 mm)

adaptation vertical wall channel
 adaptation horizontal rail
 pole adapter 20 - 40 mm




TABLE / FLOOR COLUMN

The column profile can be mounted to table or floor. The opposite C-profiles are intended to accept all CIM arms and/ or CIM components.

Besides the standard lengths of the column indicated below, individually required lengths are available on request.


Illustration with CIM Height Adjustable Arm



Part no. 65-COL-3	column H 300 mm
Part no. 65-COL-5	column H 500 mm
Part no. 65-COL-15	column H 1500 mm
Part no. 65-COL-20	column H 2000 mm






CABLE MANAGEMENT ... to organize your cables

Illustration	Description	Fixing	Part no.
	Cable Hook with 2 Hooks to mount to front joint of arm	non-height adjustable arms height-adjustable arms	65-2129 65-2129-HV
	Cable Hook with 2 Hooks	CIM/ GCX wall channel European rail 10 x 25	65-2128 65-2126
	Cable Hook with 3 Hooks to mount to front joint of arm	non-height adjustable arms height-adjustable arms	65-3129 65-3129-HV
w/o illustration	Cable Hook with 3 Hooks	CIM/ GCX wall channel European rail 10 x 25	65-3128 65-3126
	Cable Hook Set set including 3 different cable clamp sizes	self-adhesive (to attach to even surfaces)	65-2130
	Cable Clips	self-adhesive (to attach to even surfaces)	65-2131





IT ACCESSORIES

Illustration	Description	Fixing	Part no.
 	CPU Clamp for CPUs from 85 to 150 mm with extension plate from 170 to 213 mm	CIM/ GCX wall channel European rail 10 x 25	65-86-4 65-86-1V K-CPU-ZP
	Universal Clamp adjustable from 35 to 55 mm suitable for Thin Client	CIM/ GCX wall channel European rail 10 x 25 poles 20 - 40 mm	65-TC-4 65-TC-2F 65-TC-1V
	Power Supply Holster H 143 x W 126 x D 48 mm Universal power supply holster for different sizes	CIM/ GCX wall channel European rail 10 x 25 poles 20 - 40 mm	65-14-4 65-14-2F 65-14-1V



WALL CHANNELS AND HORIZONTAL RAILS

Illustration	Description	Length	Part no.
	CIM Wall Channel vertical wall channel including channel cover Individual lengths on request! Channel cover available in two colours: RAL 9016 white and RAL 7034 graphite grey. Please indicate requested colour when ordering: gr = graphite grey w = white	480 mm 720 mm 960 mm 1200 mm	65-0048.C 65-0072.C 65-0096.C 65-0120.C
	European Rail 10 x 25 mm to mount to CIM wall channel	300 mm 400 mm 500 mm	65-NS-WK-300 65-NS-WK-400 65-NS-WK-500
	European Rail 10 x 25 mm to mount to either side of the console	300 mm	75-NS-300