

MOUNTING REFERENCE GUIDE



DRÄGER IACS ERGONOMIC WALL MOUNT



CIM Cable Integrated Mounting System



HEIGHT ADJUSTABLE WALL MOUNT WITH W-BRACKET

Configuration shown below consists of:

Infinity C700:	CIM height adjustable arm with W-bracket	
	for monitor (VESA 75/ 100) and keyboard/ mouse	
	keyboard/ mouse tray W 22.8" x D 7.9" (580 x 200 mm)	Part no. S-431F-4V.bl1_130_58
	keyboard/ mouse tray W 19.7" x D 7.9" (500 x 200 mm)	Part no. S-431F-4V.bl1_130_50
	keyboard/ mouse tray W 15.7" x D 5.9" (400 x 150 mm)	Part no. S-431F-4V.bl1_130_40
M500/ M540:	keyboard/ mouse tray W 11.8" x D 8.3" (300 x 210 mm)	Part no. S-431F-4V.bl1_130_30
	keyboard tray with retractable left/ right mouse tray	Part no. S-431F-4V.bl1_130_RC
	W 18.9" x D 8.7" (480 x 220 mm), mouse tray 8.9" (226 mm)	
	Power supply:	
	Bracket for PS250/ PS2500	Part no. S-224C-4V.bl1
Optional to order:	CIM pivot arm with VESA 75 plunge adapter, arm length 240 mm	Part no. S-230C-4V.bl1
	CIM pivot arm with VESA 75 plunge adapter, arm length 300 mm	Part no. DR-PS250-4Z.bl1
	Dual cable hook to mount underneath pivot arm	Part no. Z-KH2
	CIM wall channel (including channel cover and end caps)	
	L = 480 mm	Part no. Z-WK_480.w
	L = 720 mm	Part no. Z-WK_720.w







HEIGHT ADJUSTABLE WALL MOUNT WITH W-BRACKET

Technical data height adjustable arm with W-bracket and keyboard tray 22.8" x 7.9"

Side view



Top view






HEIGHT ADJUSTABLE WALL MOUNT WITH W-BRACKET

Technical data pivot arm with VESA 75 mounting adapter

Side view



Top view

