

MOUNTING REFERENCE GUIDE



DRÄGER IACS MOBILE WITH KEYBOARD



CIM Cable Integrated Mounting System



MOBILE CART WITH KEYBOARD

Configuration shown below consists of:

CIM cart light duty including counter weight, (2) lockable and (3) non-lockable double wheel castors 100 mm, column to accept accessories, VESA 75/ 100 mounting bracket for C700 with tilt function, handle, basket, pivot arm (VESA 75) for M500/ M540 cable hook and adapter for power supply bracket for PS250/ PS2500.

keyboard/ mouse tray W 22.8" x D 7.9" (580 x 200 mm)

Part no. DR-002IACS-02.bl1_58

keyboard/ mouse tray W 19.7" x D 7.9" (500 x 200 mm)

Part no. DR-002IACS-02.bl1_50

keyboard/ mouse tray W 15.7" x D 5.9" (400 x 150 mm)

Part no. DR-002IACS-02.bl1_40

keyboard/ mouse tray W 11.8" x D 8.3" (300 x 210 mm)

Part no. DR-002IACS-02.bl1_30

keyboard tray with retractable left/ right mouse tray

W 18.9" x D 8.7" (480 x 220 mm), mouse tray 8.9" (226 mm)

Part no. DR-002IACS-02.bl1_RC





MOBILE CART WITH KEYBOARD

Technical Data

Side view

